

|R|W|T|

Offisiell Distributør I Norge:


RWT Sp. z o.o.

ul. Parkowa 1/6,

39-100 Ropczyce, Poland

+47 486 33 800

www.rwt-trading.com rwt@rwt-trading.com





Natural Beauty

Wooden swimming pools due to the natural material fit perfectly into the garden and beautifully harmonize with the natural surroundings.



Warranty



Contents



The image shows four pool models on a wood grain background. Each model is represented by a blue-filled shape with a double-line border. Below each shape is a list of pool models and their capacities in cubic meters (m3).

Pool Model	Capacity (m3)
Pool A 1	5,56 m3
Pool A 2	8,95 m3
Pool B 3	9,98 m3
Pool B 4	16,21 m3
Pool B 5	20,07 m3
Pool B 6	23,50 m3
Pool C 7	14,44 m3
Pool C 8	19,33 m3
Pool C 9	25,45 m3
Pool C 10	34,21 m3
Pool C 12	18,87 m3
Pool C 13	27,82 m3
Pool C 14	40,75 m3
Pool D 11	22,51 m3
Pool D 15	40,99 m3
Pool D 16	68,21 m3
Pool D 17	82,23 m3

Equipment 4

Pool models 8

Flexible installation 6

Dealers 42

Timber from north 7

Specifications 43

The Perfect Wooden Pool



Built to last - 5 years warranty

Top quality materials, smart modular design and replaceable liner make our pools an investment for years.



Safe for kids

Combination of detachable external ladder and freestanding installation is an ideal solution to maximize safety for small children, especially when not attended.



Water saving design

Closed circuit water circulation system with 2 levels of filtering does not require fixed water supply.




Heat insulation
Wood is a perfect heat insulator. Combined with optional solar cover, the pool structure keeps ideal water temperature.




Detachable steps

External wooden steps feature anti-slippery grooves, and can be easily detached from the pool structure.





Easy skimmer cleaning
Removable board for quick access to the skimmer.



Barefoot-safe top deck
A2-class, stainless steel deck screws feature special holding thread which prevents heads from standing out.

45 mm

Solid wood walls
Main structure is made of 45 mm logs, made from quality, dense timber from Northern Europe.



Ready to use in 2 days
Detailed assembly instruction, precision craftsmanship, pre-cut holes for skimmer and return inlet allow quick assembly



Standard equipment

 **Parts coming standard with every pool model**


Stainless steel internal ladder


Return inlets (1,2 or 4, depending on the pool model)


Blue liner with assembly profiles


Skimmer (surface contamination removal)


Piping and hydraulic connectors


Water pump with sand filter, appropriate for pool size


Geotextile for ground and walls separation


Detachable external stairs

4 |

Optional equipment



Solar cover

Protects from water evaporation, raises water temperature (even by 6°C) and inhibits the growth of algae (UV filter).



Winter cover

Durable fabric effectively protects the pool from pollution and harsh weather conditions.



Wooden Enclosures

Filter set storage and damage protection. Elegant, wooden natural outfit matches the look of the pool. Prevents children from access to filtration.



STANDARD
without back wall



PROFESSIONAL LUX
with back wall



PREMIUM
without back wall



Plastic



Stainless steel

Corner covers

Extra covers add structural strength to the pool's crown, smooth corners of the wooden top deck and add a classy look to your pool! Available in standard plastic and luxury stainless steel outfits.



Heat pumps

Extend your pool joy beyond sunny days, when temperature drops.



Underwater LED Lighting


Bring special magic to your pool at night! Our quality waterproof LED lighting comes in two versions: white and multicolour.

Flexible installation

6 |



Free standing



In-ground



In-terrace



Indoor*

* Requires special conditions

Made of timber from north



Material of choice

Wood from northern forests comes with some unique properties. Harsh climate shapes growth rings in pine trees noticeably denser than anywhere else, which makes pine timber much stronger and long lasting.

|R|W|T|



Pool A 1



81





 Logistic Smart



Easy skimmer cleaning



Barefoot-safe top deck



Safe for kids



Detachable steps




Solid wood walls



Standard equipment included

..... 355



..... 116

100 cm Water depth

5,56 m³ Water capacity
Wasserkapazität

10 |



 Warranty



 Logistic Smart



Easy skimmer cleaning



Barefoot-safe top deck



Safe for kids



Detachable steps




Solid wood walls



Standard equipment included

..... 434



..... 116

100 cm Water depth


8,95 m³ Water capacity
Wasserkapazität


The best value

12 |



Warranty





 Logistic Smart



Easy skimmer cleaning



Barefoot-safe top deck



Safe for kids



Detachable steps




Solid wood walls



Standard equipment included

..... 401



100 cm Water depth
Wassertiefe

9,98 m³ Water capacity
Wasserkapazität

14|



Warranty



Logistic Smart



Easy skimmer cleaning



Barefoot-safe top deck



Safe for kids



Detachable steps




Solid wood walls



Standard equipment included

..... 496



100 cm Water depth

16,21 m³ Water capacity
Wasserkapazität



5
YEARS
Warranty

Bestseller



 **Logistic Smart**



Easy skimmer cleaning



Barefoot-safe top deck



Safe for kids



Detachable steps




Solid wood walls



Standard equipment included

..... 517



113 cm Water depth

20,07 m³ Water capacity
Wasserkapazität



Warranty



Easy skimmer cleaning



Barefoot-safe top deck



Safe for kids



Detachable steps




Solid wood walls



Standard equipment included

..... 569




113 cm Water depth

23,50 m³ Water capacity
Wasserkapazität



Warranty



 Concrete base required
 Betonestrich erforderlich



Easy skimmer cleaning



Barefoot-safe top deck



Safe for kids



Detachable steps




Solid wood walls



Standard equipment included

..... 563



..... 352



..... 124

106 cm Water depth

14,44 m³ Water capacity
 Wasserkapazität





Warranty





Fits every garden




 Concrete base required
Betonestrich erforderlich


 Easy skimmer cleaning

 Barefoot-safe top deck


 Safe for kids

 Detachable steps

 45 mm
Solid wood walls

 Standard equipment included

..... 607



..... 396



..... 131

113 cm Water depth

19,33 m³ Water capacity
Wasserkapazität




Warranty
Garantie



**Just
enough**



 Concrete base required



Easy skimmer cleaning



Barefoot-safe top deck



Safe for kids




Detachable steps



Solid wood walls



Standard equipment included



120 cm Water depth

25,45 m³ Water capacity
Wasserkapazität


26 |



Warranty
Garantie

Perfect for the familye



 Concrete base required
Betonestrich erforderlich



Easy skimmer cleaning



Barefoot-safe top deck



Safe for kids




Detachable steps



Solid wood walls



Standard equipment included




120 cm Water depth

34,21 m³ Water capacity
Wasserkapazität



Warranty



 Concrete base required



Easy skimmer cleaning



Barefoot-safe top deck



Safe for kids



Detachable steps




Solid wood walls



Standard equipment included

..... 600



..... 419




..... 131


113 cm Water depth

22,51 m³ Water capacity
Wasserkapazität



 5
YEARS Warranty



 Concrete base required
Betonestrich erforderlich

 Logistic Smart



Easy skimmer cleaning



Barefoot-safe top deck



Safe for kids



Detachable steps




Solid wood walls



Standard equipment included

..... 627



..... 396



..... 124

106 cm Water depth

18,87 m³ Water capacity
Wasserkapazität

32 |




Warranty



Everyone's favourite pool



 Concrete base required

 Logistic Smart



Easy skimmer cleaning



Barefoot-safe top deck



Safe for kids



Detachable steps




Solid wood walls



Standard equipment included

698



467



138

120 cm Water depth

27,82 m³ Water capacity
Wasserkapazität




34 |



Warranty



 Concrete base required

 Logistic Smart



Easy skimmer cleaning



Barefoot-safe top deck



Safe for kids




Detachable steps



Solid wood walls



Standard equipment included




120 cm Water depth

40,75 m³ Water capacity
Wasserkapazität



Warranty



 Concrete base required

 Logistic Smart



Easy skimmer cleaning



Barefoot-safe top deck



Safe for kids




Detachable steps



Solid wood walls



Standard equipment included




120 cm Water depth

40,99 m³ Water capacity
Wasserkapazität



5
YEARS
Warranty



 Concrete base required

 Logistic



Easy skimmer cleaning



Barefoot-safe top deck



Safe for kids




Detachable steps



Solid wood walls



Standard equipment included



120 cm Water depth


68,21 m³ Water capacity
Wasserkapazität

40 |



Warranty



 Concrete base required

 Logistic Smart



Easy skimmer cleaning



Barefoot-safe top deck



Safe for kids




Detachable steps



Solid wood walls



Standard equipment included




120 cm Water depth

82,23 m³ Water capacity
Wasserkapazität

Multi language documentation

Pools are delivered with detailed, multi-language instructions, for easy parts identification and quick assembly.



Flexible pricing

As standard, pools are delivered with a full set of necessary equipment, such as filters, pumps, ladders and piping, but customers can opt for individual configuration and pricing.

Dealers




On-time delivery

We are a bit obsessive about deadlines. You always get your delivery exactly when you should have it. Period.

Storage

Elements on pallets are carefully protected for long term storage.



Logistic smart

Selected pools are delivered on pallets with a maximum dimension not exceeding 2,4 m, to fit most trucks and shipping containers.



Custom pool models

We help with developing custom pool sizes and shapes, to fit specific markets and build a product portfolio that stands out.

We speak your language

Well, French, English and German, to be exact. It's easier to order products, spare parts or just to talk about business.

Model specifications



Marketing materials

We provide a full range of marketing support, including photographs, brochures and drawings.

Model	External dimensions [cm]	Internal dimensions [cm]	Terrace board / [mm]	Wall board [mm]	Steel reinforcement	Impregnation method	Impregnation class	Capacity [m ³]	Water depth [m]	Logistic smart (max. 2.4 m)
HEXAGONAL										
Pool A 1	355 x 307 x 116	292 x 253 x 113	27	45	-	vaccum-pressure	IV	5,56	1,00	x
Pool A 2	434 x 376 x 116	371 x 322 x 113	27	45	-	vaccum-pressure	IV	8,95	1,00	x
OCTAGONAL										
Pool B 3	434 x 401 x 116	376 x 347 x 113	27	45	-	vaccum-pressure	IV	9,98	1,00	x
Pool B 4	537 x 496 x 116	479 x 442 x 113	27	45	-	vaccum-pressure	IV	16,21	1,00	x
Pool B 5	560 x 517 x 129	501 x 463 x 126	27	45	-	vaccum-pressure	IV	20,07	1,13	x
Pool B 6	616 x 569 x 129	557 x 515 x 126	27	45	-	vaccum-pressure	IV	23,50	1,13	
OBLONG										
Pool C 7	563 x 352 x 124	509 x 298 x 120	45	45	4	vaccum-pressure	IV	14,44	1,06	
Pool C 8	607 x 396 x 131	553 x 342 x 126	45	45	4	vaccum-pressure	IV	19,33	1,13	
Pool C 9	727 x 396 x 138	673 x 342 x 133	45	45	6	vaccum-pressure	IV	25,45	1,20	
Pool C 10	814 x 460 x 138	760 x 406 x 133	45	45	6	vaccum-pressure	IV	34,21	1,20	
RECTANGULAR										
Pool D 11	600 x 419 x 131	546 x 365 x 126	45	45	10	vaccum-pressure	IV	22,51	1,13	
OBLONG MODULAR										
Pool C 12	627 x 396 x 124	573 x 351 x 120	45	45	8	vaccum-pressure	IV	18,87	1,06	x
Pool C 13	698 x 467 x 138	644 x 413 x 133	45	45	8	vaccum-pressure	IV	27,82	1,20	x
Pool C 14	897 x 496 x 138	853 x 443 x 133	45	45	10	vaccum-pressure	IV	40,75	1,20	x
RECTANGULAR MODULAR										
Pool D 15	834 x 492x138	780 x 438 x 133	45	45	18	vaccum-pressure	IV	40,99	1,20	x
Pool D 16	1034 x 634 x 138	980 x 580 x 133	45	45	20	vaccum-pressure	IV	68,21	1,20	x
Pool D 17	1234 x 634 x 138	1180 x 580 x 133	45	45	22	vaccum-pressure	IV	82,23	1,20	x